


# Porovnanie rozmerov nožových poistiek

Eti - Oez - Eaton (Bussmann)





| ETI   | OEZ   | Eaton<br>Bussmann | A   | C  | F   |     |          |
|-------|-------|-------------------|-----|----|-----|-----|----------|
|       |       |                   |     |    | ETI | OEZ | Bussmann |
| NV00C | 000   | 000               | 79  | 47 | 21  | 21  | 21       |
| NV00  | 00    | 00                | 79  | 47 | 28  | 30  | 30       |
| NV0   | -     | 0                 | 125 | 65 | 28  | -   | 30       |
| NV1C  | 1(01) | 01                | 135 | 65 | 28  | 30  | 30       |
| NV1   | 1     | 1                 | 135 | 65 | 46  | 47  | 52       |
| NV2C  | 2(02) | 02                | 150 | 65 | 46  | 47  | 52       |
| NV2   | 2     | 2                 | 150 | 65 | 54  | 58  | 60       |
| NV3C  | 3(03) | 03                | 150 | 65 | 54  | 58  | 60       |
| NV3   | 3     | 3                 | 150 | 65 | 65  | 71  | 70       |
| NV4   | -     | 4                 | 200 | 66 | 100 | -   | 87       |
| NV4a  | 4a    | -                 | 200 | 87 | 95  | 87  | -        |

# ETI elb


## Poistkové vložky NV/NH s gL/gG charakteristikami

| typ       | rozmery |    |    |    |    |     |     |     |     |    |   |       |
|-----------|---------|----|----|----|----|-----|-----|-----|-----|----|---|-------|
|           | A       | B  | C  | D  | E  | F   | G   | H   | I   | J  | K |       |
| NV00 C    | 79      | 53 | 47 | 35 | 15 | 21  | 52  | 7,5 |     |    | 6 | kombi |
| NV00 CI   | 79      | 53 | 47 | 35 | 15 | 21  | 52  | 7,5 |     |    | 6 | kombi |
| NV00      | 79      | 53 | 47 | 35 | 15 | 28  | 56  | 12  |     |    | 6 | kombi |
| NV00 I    | 79      | 53 | 47 | 35 | 15 | 28  | 56  | 12  |     |    | 6 | kombi |
| NV0       | 125     | 68 | 65 | 35 | 15 | 28  | 56  | 12  |     |    | 6 | kombi |
| NV1 C     | 135     | 68 | 65 | 40 | 15 | 28  | 61  | 12  |     |    | 6 | kombi |
| NV1 CI    | 135     | 68 | 65 | 40 | 15 | 28  | 61  | 12  |     |    | 6 | kombi |
| NV1       | 135     | 72 | 65 | 40 | 20 | 46  | 65  | 14  |     |    | 6 | kombi |
| NV1 I     | 135     | 72 | 65 | 40 | 20 | 46  | 65  | 14  |     |    | 6 | kombi |
| NV2 C     | 150     | 72 | 65 | 48 | 20 | 46  | 73  | 14  |     |    | 6 | kombi |
| NV2 CI    | 150     | 72 | 65 | 48 | 20 | 46  | 73  | 14  |     |    | 6 | kombi |
| NV2       | 150     | 72 | 65 | 48 | 26 | 54  | 73  | 14  |     |    | 6 | kombi |
| NV2 I     | 150     | 72 | 65 | 48 | 26 | 54  | 73  | 14  |     |    | 6 | kombi |
| NV3 C     | 150     | 72 | 65 | 60 | 26 | 54  | 84  | 14  |     |    | 6 | kombi |
| NV3       | 150     | 72 | 65 | 60 | 33 | 65  | 84  | 14  |     |    | 6 | kombi |
| NV4       | 200     | 75 | 66 | 87 | 50 | 100 | 121 | 24  | 150 | 16 | 8 |       |
| NV4a      | 200     | 99 | 87 | 85 | 50 | 95  | 121 | 27  |     |    | 6 |       |
| NV4a SI*  | 200     | 99 | 87 | 85 | 50 | 95  | 121 | 27  |     |    | 6 |       |
| NV1/1000V | 155     | 90 | 87 | 40 | 20 | 45  | 59  | 9   |     |    | 6 |       |




# Eaton - Busmann

Dimensions - mm



| Size | a <sub>1</sub> | a <sub>2</sub> (max) | a <sub>3</sub>        | a <sub>4</sub>        | b  | c <sub>1</sub> | c <sub>2</sub> | d       | e <sub>1</sub> (max) | e <sub>2</sub> (max) | e <sub>3</sub> (max) | e <sub>4</sub> | f (max) |
|------|----------------|----------------------|-----------------------|-----------------------|----|----------------|----------------|---------|----------------------|----------------------|----------------------|----------------|---------|
| 000  | 78.5±1.5       | 54                   | 45±1.5                | 49±1.5                | 15 | 35             | 10             | 2±0.5   | 41                   | 21                   | 16                   | 6              | 8       |
| 00   | 78.5±1.5       | 54                   | 45±1.5                | 49±1.5                | 15 | 35             | 11             | 2±0.5   | 48                   | 30                   | 25                   | 6              | 15      |
| 0    | 125±2.5        | 68                   | 62 <sup>+3/-1.5</sup> | 68 <sup>+1.5/-3</sup> | 15 | 35             | 11             | 2.5±0.5 | 48                   | 30                   | 25                   | 6              | 15      |
| 01   | 135±2.5        | 75                   | 62±2.5                | 68±2.5                | 15 | 40             | 11             | 2.5±0.5 | 48                   | 30                   | 25                   | 6              | 15      |
| 1    | 135±2.5        | 75                   | 62±2.5                | 68±2.5                | 20 | 40             | 11             | 2.5±0.5 | 53                   | 52                   | 25                   | 6              | 15      |
| 02   | 150±2.5        | 75                   | 62±2.5                | 68±2.5                | 20 | 48             | 11             | 2.5±0.5 | 53                   | 52                   | 25                   | 6              | 15      |
| 2    | 150±2.5        | 75                   | 62±2.5                | 68±2.5                | 25 | 48             | 11             | 2.5±0.5 | 61                   | 60                   | 25                   | 6              | 15      |
| 03   | 150±2.5        | 75                   | 62±2.5                | 68±2.5                | 25 | 60             | 11             | 2.5±0.5 | 61                   | 60                   | 25                   | 6              | 15      |
| 3    | 150±2.5        | 75                   | 62±2.5                | 68±2.5                | 32 | 60             | 11             | 3±0.5   | 75                   | 70                   | 25                   | 6              | 18      |
| 4    | 200            | 84                   | 80                    | 90                    | 50 | 85             | 10             | 3       | 102                  | 87                   | -                    | 8              | 30      |

## Rozměry OEZ



| Velikost     | I <sub>n</sub> [A] | a1    | a2   | a3   | a4   | b (min) | c1   | d   | e1   | e2   | f    |
|--------------|--------------------|-------|------|------|------|---------|------|-----|------|------|------|
| <b>000</b>   | 63                 | 79,9  | 53,8 | 45,7 | 50,3 | 15,0    | 35,8 | 2,3 | 40,5 | 21,0 | 7,8  |
| <b>00</b>    | 100                | 79,9  | 53,8 | 45,9 | 50,3 | 15,0    | 35,8 | 2,2 | 48,0 | 30,0 | 14,6 |
| <b>1(01)</b> | 100                | 136,8 | 72,5 | 64,6 | 69,0 | 15,0    | 39,8 | 2,2 | 48,0 | 30,0 | 14,6 |
| <b>1</b>     | 250                | 136,3 | 74,7 | 63,6 | 69,8 | 20,0    | 40,8 | 3,1 | 47,2 | 47,2 | 9,6  |
| <b>2(02)</b> | 250                | 151,3 | 74,7 | 63,6 | 69,8 | 20,0    | 48,3 | 3,1 | 47,2 | 47,2 | 9,6  |
| <b>2</b>     | 400                | 151,3 | 74,4 | 63,3 | 69,5 | 25,0    | 48,5 | 3,1 | 57,8 | 57,8 | 12,8 |
| <b>3(03)</b> | 400                | 151,3 | 74,4 | 63,3 | 69,5 | 25,0    | 60,4 | 3,1 | 57,8 | 57,8 | 12,8 |
| <b>3</b>     | 630                | 151,0 | 74,0 | 64,0 | 69,0 | 32,0    | 60,0 | 2,5 | 71,2 | 71,2 | 12,8 |
| <b>4a</b>    | 1000               | 200±3 | 86,5 | 84±3 | 90±3 | 50      | 85±2 | 3   | 102  | 87   | 30   |